

Biological Product Deviation Codes

Blood BPD Codes or Non-Blood BPD Codes

Blood BPD Codes:

The following list of Biological Product Deviation (BPD) Codes should be used as a tool for assigning a specific code to a reportable event when submitting the report to FDA. This list should not be used solely for the purpose of determining if an event is reportable. You should have a process consistent with the draft guidance document, "Biological Product Deviation Reporting for Blood and Plasma Establishments," to determine which events are reportable. The list includes deviations from regulations, standards, and standard operating procedures (SOPs) that may affect the safety, purity, or potency of a product. The list of codes was developed based on the error and accident reports previously submitted to FDA. These events may not apply to all establishments because they include deviations and unexpected events related to SOPs implemented at individual establishments and may not be an industry standard or a procedure at your facility. The use of BPD Codes will assist the FDA in analyzing the data submitted and streamline the trend analysis process.

Donor Suitability

PD - Post Donation Information

DS - Donor Screening

DD - Donor Deferral

BC - Blood Collection

CP - Component Preparation

Laboratory Testing

VT - Viral Testing

RT - Routine Testing

LA - Labeling

QC - Quality Control and Distribution

MI - Miscellaneous

PD/DS/DD DONOR SUITABILITY

PD--** POST DONATION INFORMATION**

PD-10--**** Miscellaneous

PD-10-01 Other

PD-11--**** Testing

PD-11-01 Other

PD-11-02 Tested positive for Hepatitis B post donation

PD-11-03 Tested positive for Hepatitis B prior to donation

PD-11-04 Tested positive for Hepatitis C post donation
PD-11-05 Tested positive for Hepatitis C prior to donation
PD-11-06 Tested positive for HIV post donation
PD-11-07 Tested positive for HIV prior to donation
PD-11-08 Tested positive for HTLV I/II post donation
PD-11-09 Tested positive for HTLV I/II prior to donation
PD-11-10 Tested positive for sexually transmitted disease post donation
PD-11-11 Tested positive for sexually transmitted disease prior to donation
PD-11-12 Tested positive for hepatitis not specified, post donation
PD-11-13 Tested positive for hepatitis not specified, prior to donation
PD-11-14 Tested positive at another center, specific testing unknown
PD-11-15 Tested positive for Hepatitis A post donation
PD-11-16 Tested positive for Hepatitis A prior to donation
PD-11-17 Elevated ALT post donation
PD-11-18 Elevated ALT prior to donation

PD-12- Behavior/History**

PD-12-01 Other
PD-12-02 History of hepatitis not specified
PD-12-03 History of jaundice
PD-12-04 History of Hepatitis B
PD-12-05 History of Hepatitis C
PD-12-06 Sexually transmitted disease
PD-12-07 Sex partner has or had a sexually transmitted disease
PD-12-08 Sex partner tested positive for HIV
PD-12-09 Sex partner tested positive for HTLV I/II
PD-12-10 Sex partner tested positive for HBV
PD-12-11 Sex partner tested positive for HCV
PD-12-12 Sex partner tested positive for hepatitis, not specified
PD-12-13 Sex partner engaged in high risk behavior
PD-12-14 Male donor had sex with another man
PD-12-15 Female had sex with a man who had sex with another man
PD-12-16 IV drug use
PD-12-17 Sex with IV drug user
PD-12-18 Non-IV-drug use
PD-12-19 Sex partner used non-IV drugs
PD-12-20 Donor lived in or immigrated from an HIV Group O risk area
PD-12-21 Sex partner lived in or immigrated from an HIV Group O risk area
PD-12-22 Exchanged sex for drugs or money
PD-12-23 Sex partner exchanged sex for drugs or money
PD-12-24 Donor received tattoo
PD-12-25 Donor received ear piercing
PD-12-26 Donor received body piercing
PD-12-27 Donor received accidental needlestick
PD-12-28 Donor received transfusion or clotting factors
PD-12-29 Donor received bone graft or transplant
PD-12-30 Donor was exposed to blood or body fluids
PD-12-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
PD-12-32 Non-sexual exposure to HIV

PD-12-33 Non-sexual exposure to hepatitis, type not specified
PD-12-34 Non-sexual exposure to Hepatitis B
PD-12-35 Non-sexual exposure to Hepatitis C
PD-12-36 Travel to malaria endemic area/history of malaria
PD-12-37 History of disease or surgery
PD-12-38 History of cancer
PD-12-39 History of Creutzfeldt-Jakob Disease
PD-12-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
PD-12-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
PD-12-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
PD-12-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
PD-12-44 Received growth hormone
PD-12-45 Received Proscar, Tegison or Accutane
PD-12-46 Received medication or antibiotics
PD-12-47 Received vaccine or immune globulin
PD-12-48 Exposure to a disease
PD-12-49 Incarcerated
PD-12-50 Resided in a rehabilitation center or psychiatric hospital
PD-12-51 History of Hepatitis A
PD-12-52 Exposure to Hepatitis A
PD-12-53 Multiple high risk behaviors/contacts
PD-12-54 Positive drug screen
PD-12-55 Deferred by another center

PD-13-** Illness

PD-13-01 Post donation illness (not hepatitis, HIV, HTLV-I, STD, cancer or cold/flu related)
PD-13-02 Post donation diagnosis or symptoms of Hepatitis B
PD-13-03 Post donation diagnosis or symptoms of Hepatitis C
PD-13-04 Post donation diagnosis or symptoms of HIV
PD-13-05 Post donation diagnosis or symptoms of HTLV I/II
PD-13-06 Post donation diagnosis or symptoms of sexually transmitted disease
PD-13-07 Post donation diagnosis or symptoms of hepatitis, not specified
PD-13-08 Post donation diagnosis or symptoms of Hepatitis A
PD-13-09 Post donation diagnosis of cancer

PD-14-** Not specifically related to high risk behavior or unsuitable history

PD-14-01 Other
PD-14-02 Donor does not want their blood used
PD-14-03 Donated to be tested or called back for test results

DS--** DONOR SCREENING**

DS-20--** Miscellaneous**

DS-20-01 Other

DS-21--** Donor did not meet acceptance criteria**

DS-21-01 Other

DS-21-02 Hemoglobin or Hematocrit unacceptable, not documented, or testing performed incorrectly

DS-21-03 Temperature unacceptable or not documented

DS-21-04 Medical review or physical not performed or inadequate

DS-21-05 Platelet count, no documented platelet count for product

DS-21-06 Unexplained weight loss

DS-22--** Donor record incomplete or incorrect**

DS-22-01 Other

DS-22-02 Donor identification

DS-22-03 Donor history questions

DS-22-04 Arm inspection

DS-22-05 Donor signature missing

DS-22-06 Confidential Unit Exclusion (CUE) procedure not performed in accordance with specifications

DS-22-07 Donor confidentiality compromised

DS-23--** Deferral screening not done**

DS-23-01 Donor not previously deferred

DS-24--** Deferral screening not done, donor previously deferred due to testing:**

DS-24-01 Other

DS-24-02 HIV reactive

DS-24-03 HBsAg reactive

DS-24-04 Anti-HBc reactive

DS-24-05 Anti-HCV reactive

DS-24-06 Anti-HTLV-I reactive

DS-24-07 ALT elevated

DS-24-08 Syphilis reactive

DS-25--** Deferral screening not done, donor previously deferred due to history**

DS-25-01 Other

DS-25-02 History of hepatitis, not specified

DS-25-03 History of jaundice

DS-25-04 History of Hepatitis B

DS-25-05 History of Hepatitis C

DS-25-06 Sexually transmitted disease
DS-25-07 Sex partner has or had a sexually transmitted disease
DS-25-08 Sex partner tested positive for HIV
DS-25-09 Sex partner tested positive for HTLV I/II
DS-25-10 Sex partner tested positive for HBV
DS-25-11 Sex partner tested positive for HCV
DS-25-12 Sex partner tested positive for hepatitis, not specified
DS-25-13 Sex partner engaged in high risk behavior
DS-25-14 Male donor had sex with another man
DS-25-15 Female had sex with a man who had sex with another man
DS-25-16 IV drug use
DS-25-17 Sex with IV drug user
DS-25-18 Non-IV-drug use
DS-25-19 Sex partner used non-IV drugs
DS-25-20 Donor lived in or immigrated from an HIV Group O risk area
DS-25-21 Sex partner lived in or immigrated from an HIV Group O risk area
DS-25-22 Exchanged sex for drugs or money
DS-25-23 Sex partner exchanged sex for drugs or money
DS-25-24 Donor received tattoo
DS-25-25 Donor received ear piercing
DS-25-26 Donor received body piercing
DS-25-27 Donor received accidental needlestick
DS-25-28 Donor received transfusion or clotting factors
DS-25-29 Donor received bone graft or transplant
DS-25-30 Donor was exposed to blood or body fluids
DS-25-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
DS-25-32 Non-sexual exposure to HIV
DS-25-33 Non-sexual exposure to hepatitis, type not specified
DS-25-34 Non-sexual exposure to Hepatitis B
DS-25-35 Non-sexual exposure to Hepatitis C
DS-25-36 Travel to malaria endemic area/history of malaria
DS-25-37 History of disease or surgery
DS-25-38 History of cancer
DS-25-39 History of Creutzfeldt-Jakob Disease
DS-25-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
DS-25-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
DS-25-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
DS-25-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
DS-25-44 Received growth hormone
DS-25-45 Received Proscar, Tegison or Accutane
DS-25-46 Received medication or antibiotics
DS-25-47 Received vaccine or immune globulin
DS-25-48 Exposure to a disease
DS-25-49 Incarcerated
DS-25-50 Resided in a rehabilitation center or psychiatric hospital
DS-25-51 History of Hepatitis A
DS-25-52 Exposure to Hepatitis A
DS-25-53 Multiple high risk behaviors/contacts

DS-25-54 Positive drug screen
DS-25-55 Deferred by another center

DS-26-** Incorrect ID used during deferral search

DS-26-01 donor not previously deferred

DS-27-** Incorrect ID used during deferral search, donor previously deferred due to testing

DS-27-01 Other
DS-27-02 HIV reactive
DS-27-03 HBsAg reactive
DS-27-04 Anti-HBc reactive
DS-27-05 Anti-HCV reactive
DS-27-06 Anti-HTLV-I reactive
DS-27-07 ALT elevated
DS-27-08 Syphilis reactive

DS-28-** Incorrect ID used during deferral search, donor previously deferred due to history

DS-28-01 Other
DS-28-02 History of hepatitis, not specified
DS-28-03 History of jaundice
DS-28-04 History of Hepatitis B
DS-28-05 History of Hepatitis C
DS-28-06 Sexually transmitted disease
DS-28-07 Sex partner has or had a sexually transmitted disease
DS-28-08 Sex partner tested positive for HIV
DS-28-09 Sex partner tested positive for HTLV I/II
DS-28-10 Sex partner tested positive for HBV
DS-28-11 Sex partner tested positive for HCV
DS-28-12 Sex partner tested positive for hepatitis, not specified
DS-28-13 Sex partner engaged in high risk behavior
DS-28-14 Male donor had sex with another man
DS-28-15 Female had sex with a man who had sex with another man
DS-28-16 IV drug use
DS-28-17 Sex with IV drug user
DS-28-18 Non-IV-drug use
DS-28-19 Sex partner used non-IV drugs
DS-28-20 Donor lived in or immigrated from an HIV Group O risk area
DS-28-21 Sex partner lived in or immigrated from an HIV Group O risk area
DS-28-22 Exchanged sex for drugs or money
DS-28-23 Sex partner exchanged sex for drugs or money
DS-28-24 Donor received tattoo
DS-28-25 Donor received ear piercing
DS-28-26 Donor received body piercing
DS-28-27 Donor received accidental needlestick
DS-28-28 Donor received transfusion or clotting factors

DS-28-29 Donor received bone graft or transplant
DS-28-30 Donor was exposed to blood or body fluids
DS-28-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
DS-28-32 Non-sexual exposure to HIV
DS-28-33 Non-sexual exposure to hepatitis, type not specified
DS-28-34 Non-sexual exposure to Hepatitis B
DS-28-35 Non-sexual exposure to Hepatitis C
DS-28-36 Travel to malaria endemic area/history of malaria
DS-28-37 History of disease or surgery
DS-28-38 History of cancer
DS-28-39 History of Creutzfeldt-Jakob Disease
DS-28-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
DS-28-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
DS-28-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
DS-28-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
DS-28-44 Received growth hormone
DS-28-45 Received Proscar, Tegison or Accutane
DS-28-46 Received medication or antibiotics
DS-28-47 Received vaccine or immune globulin
DS-28-48 Exposure to a disease
DS-28-49 Incarcerated
DS-28-50 Resided in a rehabilitation center or psychiatric hospital
DS-28-51 History of Hepatitis A
DS-28-52 Exposure to Hepatitis A
DS-28-53 Multiple high risk behaviors/contacts
DS-28-54 Positive drug screen
DS-28-55 Deferred by another center

DS-29-** Donor gave history which warranted deferral and was not deferred

DS-29-01 Other
DS-29-02 History of hepatitis, not specified
DS-29-03 History of jaundice
DS-29-04 History of Hepatitis B
DS-29-05 History of Hepatitis C
DS-29-06 Sexually transmitted disease
DS-29-07 Sex partner has or had a sexually transmitted disease
DS-29-08 Sex partner tested positive for HIV
DS-29-09 Sex partner tested positive for HTLV I/II
DS-29-10 Sex partner tested positive for HBV
DS-29-11 Sex partner tested positive for HCV
DS-29-12 Sex partner tested positive for hepatitis, not specified
DS-29-13 Sex partner engaged in high risk behavior
DS-29-14 Male donor had sex with another man
DS-29-15 Female had sex with a man who had sex with another man
DS-29-16 IV drug use
DS-29-17 Sex with IV drug user
DS-29-18 Non-IV-drug use
DS-29-19 Sex partner used non-IV drugs

DS-29-20 Donor lived in or immigrated from an HIV Group O risk area
DS-29-21 Sex partner lived in or immigrated from an HIV Group O risk area
DS-29-22 Exchanged sex for drugs or money
DS-29-23 Sex partner exchanged sex for drugs or money
DS-29-24 Donor received tattoo
DS-29-25 Donor received ear piercing
DS-29-26 Donor received body piercing
DS-29-27 Donor received accidental needlestick
DS-29-28 Donor received transfusion or clotting factors
DS-29-29 Donor received bone graft or transplant
DS-29-30 Donor was exposed to blood or body fluids
DS-29-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
DS-29-32 Non-sexual exposure to HIV
DS-29-33 Non-sexual exposure to hepatitis, type not specified
DS-29-34 Non-sexual exposure to Hepatitis B
DS-29-35 Non-sexual exposure to Hepatitis C
DS-29-36 Travel to malaria endemic area/history of malaria
DS-29-37 History of disease or surgery
DS-29-38 History of cancer
DS-29-39 History of Creutzfeldt-Jakob Disease
DS-29-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
DS-29-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
DS-29-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
DS-29-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
DS-29-44 Received growth hormone
DS-29-45 Received Proscar, Tegison or Accutane
DS-29-46 Received medication or antibiotics
DS-29-47 Received vaccine or immune globulin
DS-29-48 Exposure to a disease
DS-29-49 Incarcerated
DS-29-50 Resided in a rehabilitation center or psychiatric hospital
DS-29-51 History of Hepatitis A
DS-29-52 Exposure to Hepatitis A
DS-29-53 Multiple high risk behaviors/contacts
DS-29-54 Positive drug screen
DS-29-55 Deferred by another center

DD--** DONOR DEFERRAL**

DD-30--**** Miscellaneous
DD-30-01 Other

DD-31--**** Donor missing or incorrectly identified on deferral list, donor was or should have been previously deferred due to testing:

DD-31-01 Other
DD-31-02 HIV reactive
DD-31-03 HBsAg reactive
DD-31-04 Anti-HBc reactive
DD-31-05 Anti-HCV reactive
DD-31-06 Anti-HTLV-I reactive
DD-31-07 ALT elevated
DD-31-08 Syphilis reactive

DD-32-** Donor missing or incorrectly identified on deferral list, donor was or should have been previously deferred due to history:

DD-32-01 Other
DD-32-02 History of hepatitis, not specified
DD-32-03 History of jaundice
DD-32-04 History of Hepatitis B
DD-32-05 History of Hepatitis C
DD-32-06 Sexually transmitted disease
DD-32-07 Sex partner has or had sexually transmitted disease
DD-32-08 Sex partner tested positive for HIV
DD-32-09 Sex partner tested positive for HTLV I/II
DD-32-10 Sex partner tested positive for HBV
DD-32-11 Sex partner tested positive for HCV
DD-32-12 Sex partner tested positive for hepatitis, not specified
DD-32-13 Sex partner engaged in high risk behavior
DD-32-14 Male donor had sex with another man
DD-32-15 Female had sex with a man who had sex with another man
DD-32-16 IV drug use
DD-32-17 Sex with IV drug user
DD-32-18 Non-IV-drug use
DD-32-19 Sex partner used non-IV drugs
DD-32-20 Donor lived in or immigrated from an HIV Group O risk area
DD-32-21 Sex partner lived in or immigrated from an HIV Group O risk area
DD-32-22 Exchanged sex for drugs or money
DD-32-23 Sex partner exchanged sex for drugs or money
DD-32-24 Donor received tattoo
DD-32-25 Donor received ear piercing
DD-32-26 Donor received body piercing
DD-32-27 Donor received accidental needlestick
DD-32-28 Donor received transfusion or clotting factors
DD-32-29 Donor received bone graft or transplant
DD-32-30 Donor was exposed to blood or body fluids
DD-32-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
DD-32-32 Non-sexual exposure to HIV
DD-32-33 Non-sexual exposure to hepatitis, type not specified
DD-32-34 Non-sexual exposure to Hepatitis B
DD-32-35 Non-sexual exposure to Hepatitis C
DD-32-36 Travel to malaria endemic area/history of malaria
DD-32-37 History of disease or surgery
DD-32-38 History of cancer

DD-32-39 History of Creutzfeldt-Jakob Disease
DD-32-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
DD-32-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
DD-32-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
DD-32-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
DD-32-44 Received growth hormone
DD-32-45 Received Proscar, Tegison or Accutane
DD-32-46 Received medication or antibiotics
DD-32-47 Received vaccine or immune globulin
DD-32-48 Exposure to a disease
DD-32-49 Incarcerated
DD-32-50 Resided in a rehabilitation center or psychiatric hospital
DD-32-51 History of Hepatitis A
DD-32-52 Exposure to Hepatitis A
DD-32-53 Multiple high risk behaviors/contacts
DD-32-54 Positive drug screen
DD-32-55 Deferred by another center

DD-34-** Donor incorrectly deleted from deferral list or donor not reentered properly, donor previously deferred due to testing:

DD-34-01 Other
DD-34-02 HIV reactive
DD-34-03 HBsAg reactive
DD-34-04 Anti-HBc reactive
DD-34-05 Anti-HCV reactive
DD-34-06 Anti-HTLV-I reactive
DD-34-07 ALT elevated
DD-34-08 Syphilis reactive

DD-35-** Donor incorrectly deleted from deferral list, donor previously deferred due to history:

DD-35-01 Other
DD-35-02 History of hepatitis, not specified
DD-35-03 History of jaundice
DD-35-04 History of Hepatitis B
DD-35-05 History of Hepatitis C
DD-35-06 Sexually transmitted disease
DD-35-07 Sex partner has or had a sexually transmitted disease
DD-35-08 Sex partner tested positive for HIV
DD-35-09 Sex partner tested positive for HTLV I/II
DD-35-10 Sex partner tested positive for HBV
DD-35-11 Sex partner tested positive for HCV
DD-35-12 Sex partner tested positive for hepatitis, not specified
DD-35-13 Sex partner engaged in high risk behavior
DD-35-14 Male donor had sex with another man

DD-35-15 Female had sex with a man who had sex with another man
DD-35-16 IV drug use
DD-35-17 Sex with IV drug user
DD-35-18 Non-IV-drug use
DD-35-19 Sex partner used non-IV drugs
DD-35-20 Donor lived in or immigrated from an HIV Group O risk area
DD-35-21 Sex partner lived in or immigrated from an HIV Group O risk area
DD-35-22 Exchanged sex for drugs or money
DD-35-23 Sex partner exchanged sex for drugs or money
DD-35-24 Donor received tattoo
DD-35-25 Donor received ear piercing
DD-35-26 Donor received body piercing
DD-35-27 Donor received accidental needlestick
DD-35-28 Donor received transfusion or clotting factors
DD-35-29 Donor received bone graft or transplant
DD-35-30 Donor was exposed to blood or body fluids
DD-35-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
DD-35-32 Non-sexual exposure to HIV
DD-35-33 Non-sexual exposure to hepatitis, type not specified
DD-35-34 Non-sexual exposure to Hepatitis B
DD-35-35 Non-sexual exposure to Hepatitis C
DD-35-36 Travel to malaria endemic area/history of malaria
DD-35-37 History of disease or surgery
DD-35-38 History of cancer
DD-35-39 History of Creutzfeldt-Jakob Disease
DD-35-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
DD-35-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
DD-35-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
DD-35-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
DD-35-44 Received growth hormone
DD-35-45 Received Proscar, Tegison or Accutane
DD-35-46 Received medication or antibiotics
DD-35-47 Received vaccine or immune globulin
DD-35-48 Exposure to a disease
DD-35-49 Incarcerated
DD-35-50 Resided in a rehabilitation center or psychiatric hospital
DD-35-51 History of Hepatitis A
DD-35-52 Exposure to Hepatitis A
DD-35-53 Multiple high risk behaviors/contacts
DD-35-54 Positive drug screen
DD-35-55 Deferred by another center

BC--** BLOOD COLLECTION**

BC-40--** Miscellaneous**
BC-40-01 Other

BC-41--** Sterility compromised**

BC-41-01 Other
BC-41-02 Bacterial contamination (identify organism if possible)
BC-41-03 Air contamination
BC-41-04 Arm prep not performed or performed inappropriately

BC-42--** Collection bag**

BC-42-01 Other
BC-42-02 Blood drawn into outdated bag
BC-42-03 Incorrect anticoagulant
BC-42-04 Outdated anticoagulant
BC-42-05 Potential collection set (bag, tubing) defect (e.g., product leaking)
BC-42-06 Incorrect collection bag used (e.g., 500 ml bag used instead of 450 ml bag)

BC-43--** Collection process**

BC-43-01 Other
BC-43-02 Collection time extended, discrepant, or not documented; not discovered prior to component preparation
BC-43-03 Overbleed; not discovered prior to component preparation
BC-43-04 Collection status not documented or discrepant
BC-43-05 Product contained clots, not discovered prior to distribution
BC-43-06 Product hemolyzed, not discovered prior to distribution
BC-43-07 Source Plasma from two different donors pooled into one pooling bottle

BC-44--** Apheresis collection device**

BC-44-01 Other
BC-44-02 Device defect
BC-44-03 Softgoods defect (bags, tubing, etc)

CP--** COMPONENT PREPARATION**

CP-50--** Miscellaneous**
CP-50-01 Other

CP-51--** Sterility compromised**

CP-51-01 Other
CP-51-02 Bacterial contamination (identify organism if possible)
CP-51-03 Air contamination
CP-51-04 Product integrity compromised during component preparation (e.g.,
leaking at sterile connection site)

CP-52-** Component not prepared in accordance with specifications

CP-52-01 Other
CP-52-02 Platelets made from Whole Blood collected from donor who took
medication that may affect platelet function
CP-52-03 Resting time requirements not met for Platelets
CP-52-04 Platelets not agitated
CP-52-05 Platelet count or platelet yield not acceptable or platelet count not
performed on Platelet product
CP-52-06 Processed at incorrect centrifuge setting
CP-52-07 Product not frozen within the appropriate time frame or freezing time
not documented
CP-52-08 Product prepared at incorrect temperature or held at incorrect
temperature during component preparation
CP-52-09 Washing/deglycerolization not performed in accordance with
specifications
CP-52-10 Leukoreduction not performed in accordance with specifications
CP-52-11 Irradiation not performed in accordance with specifications
CP-52-12 Components not prepared within appropriate time frame after
collection
CP-52-13 Additive solution not added, added incorrectly, or added to incorrect
product
CP-52-14 Thawing frozen product not performed in accordance with
specifications
CP-52-15 Pooling not performed in accordance with specifications
CP-52-16 Aliquot preparation not performed in accordance with specifications

CP-53-** Component prepared from Whole Blood unit that was

CP-53-01 Other
CP-53-02 Overweight
CP-53-03 Underweight
CP-53-04 Collected or stored at unacceptable or undocumented temperature
CP-53-05 A difficult collection or had an extended collection time

CP-54-** Component manufactured that was

CP-54-01 Other
CP-54-02 Overweight
CP-54-03 Underweight

VT/RT LABORATORY TESTING

VT--** VIRAL TESTING**

VT-70--** Miscellaneous**

VT-70-01 Other

VT-71--** Testing performed incorrectly for:**

VT-71-01 HBsAg

VT-71-02 Anti-HIV-1

VT-71-03 Anti-HIV-2

VT-71-04 Anti-HIV-1/2

VT-71-05 HIV Antigen

VT-71-06 Syphilis

VT-71-07 Anti-HTLV-I/II

VT-71-08 Anti-HBc

VT-71-09 ALT

VT-71-10 Anti-HCV

VT-71-11 More than 1 test, e.g., all viral markers

VT-71-12 Cytomegalovirus

VT-71-13 HIV Nucleic Acid Test (NAT)

VT-71-14 HCV Nucleic Acid Test (NAT)

VT-71-15 HIV/HCV Nucleic Acid Test (NAT)

VT-72--** Sample identification**

VT-72-01 Other

VT-72-02 Incorrect sample tested

VT-72-03 Sample used for testing was incorrectly or incompletely labeled

VT-72-04 Unsuitable sample used for testing

RT--** ROUTINE TESTING**

RT-60--** Miscellaneous**

RT-60-01 Other

RT-61--** Testing performed incorrectly for:**

RT-61-01 Other

RT-61-02 ABO

RT-61-03 Rh

RT-61-04 ABO & Rh

RT-61-05 Antibody screening or identification

RT-61-06 Antigen typing

RT-61-07 Platelet count

RT-61-08 Compatibility

RT-61-09 ABO, Rh, and antibody screen

RT-61-10 ABO, Rh, antibody screen, and compatibility

RT-61-11 Antibody screen and compatibility

RT-62--**** Sample identification

RT-62-01 Other

RT-62-02 Incorrect sample tested

RT-62-03 Sample used for testing was incorrectly or incompletely labeled

RT-62-04 Unsuitable sample used for testing (e.g., too old)

RT-63--**** Testing performed using reagents in which QC was unacceptable or expired reagents were used

RT-63-01 Other

RT-63-02 ABO

RT-63-03 Rh

RT-63-04 ABO & Rh

RT-63-05 Antibody screening or identification

RT-63-06 Antigen typing

RT-63-07 Multiple testing

LA--**-**** LABELING

LA-80--**** Miscellaneous

LA-80-01 Other

LA-81--**** Labels applied to blood unit incorrect or missing information

LA-81-01 Other

LA-81-02 ABO and/or Rh incorrect

LA-81-03 ABO and/or Rh missing

LA-81-04 Product type incorrect (e.g., RBC labeled as Whole Blood)

LA-81-05 Product type missing

LA-81-06 Extended expiration date or time

LA-81-07 Missing expiration date or time

LA-81-08 Anticoagulant incorrect or missing

LA-81-09 Donor number incorrect or missing

LA-81-10 Multiple labels incorrect or missing

LA-81-11 Volume or weight incorrect or missing

LA-81-12 Irradiation status incorrect or missing

LA-81-13 Leukoreduction status incorrect or missing

LA-81-14 Irradiation and leukoreduction status incorrect or missing

LA-82--**** Crossmatch tag or tie tag labels incorrect or missing information

LA-82-01 Other

LA-82-02 Unit ABO and/or Rh incorrect or missing

LA-82-03 Recipient ABO and/or Rh incorrect or missing

LA-82-04 Product type incorrect or missing

LA-82-05 Expiration date or time extended or missing

LA-82-06 Unit or pool number incorrect or missing
LA-82-07 Recipient identification incorrect or missing (specify if autologous unit)
LA-82-08 Antigen incorrect or missing
LA-82-09 Antibody incorrect or missing
LA-82-10 Platelet count incorrect or missing
LA-82-11 HLA type incorrect or missing
LA-82-12 Volume or weight incorrect or missing
LA-82-13 CMV status incorrect or missing
LA-82-14 Irradiation status incorrect or missing
LA-82-15 Leukoreduced status incorrect or missing
LA-82-16 Crossmatch tag switched, both units intended for the same patient
LA-82-17 Crossmatch tag incorrect or missing
LA-82-18 Biohazard or test status incorrect or missing
LA-82-19 Multiple labels incorrect or missing

LA-83--**** Transfusion record (crossmatch slip) incorrect or missing information

LA-83-01 Other
LA-83-02 Unit ABO and/or Rh incorrect or missing
LA-83-03 Recipient ABO and/or Rh incorrect or missing
LA-83-04 Product type incorrect or missing
LA-83-05 Expiration date or time extended or missing
LA-83-06 Unit or pool number incorrect or missing
LA-83-07 Recipient identification incorrect or missing (specify if autologous unit)
LA-83-08 Antigen incorrect or missing
LA-83-09 Antibody incorrect or missing
LA-83-10 Platelet count incorrect or missing
LA-83-11 HLA type incorrect or missing
LA-83-12 Volume or weight incorrect or missing
LA-83-13 CMV status incorrect or missing
LA-83-14 Irradiation status incorrect or missing
LA-83-15 Leukoreduced status incorrect or missing
LA-83-16 Transfusion record switched, both units intended for the same patient
LA-83-17 Incorrect transfusion record released with unit (e.g., intended for different patient)
LA-83-18 Biohazard or test status incorrect or missing
LA-83-19 Multiple labels incorrect or missing

QC--** QUALITY CONTROL and DISTRIBUTION**

QC-90--**** Miscellaneous
QC-90-01 Other

QC-91--**** Failure to quarantine unit due to medical history:

QC-91-01 Other
QC-91-02 History of hepatitis, not specified
QC-91-03 History of jaundice
QC-91-04 History of Hepatitis B
QC-91-05 History of Hepatitis C
QC-91-06 Sexually transmitted disease
QC-91-07 Sex partner has or had a sexually transmitted disease
QC-91-08 Sex partner tested positive for HIV
QC-91-09 Sex partner tested positive for HTLV I/II
QC-91-10 Sex partner tested positive for HBV
QC-91-11 Sex partner tested positive for HCV
QC-91-12 Sex partner tested positive for hepatitis, not specified
QC-91-13 Sex partner engaged in high risk behavior
QC-91-14 Male donor had sex with another man
QC-91-15 Female had sex with a man who had sex with another man
QC-91-16 IV drug use
QC-91-17 Sex with IV drug user
QC-91-18 Non-IV-drug use
QC-91-19 Sex partner used non-IV drugs
QC-91-20 Donor lived in or immigrated from an HIV Group O risk area
QC-91-21 Sex partner lived in or immigrated from an HIV Group O risk area
QC-91-22 Exchanged sex for drugs or money
QC-91-23 Sex partner exchanged sex for drugs or money
QC-91-24 Donor received tattoo
QC-91-25 Donor received ear piercing
QC-91-26 Donor received body piercing
QC-91-27 Donor received accidental needlestick
QC-91-28 Donor received transfusion or clotting factors
QC-91-29 Donor received bone graft or transplant
QC-91-30 Donor was exposed to blood or body fluids
QC-91-31 Donor had multiple blood or body fluid exposures, e.g., tattoo and piercing
QC-91-32 Non-sexual exposure to HIV
QC-91-33 Non-sexual exposure to hepatitis, type not specified
QC-91-34 Non-sexual exposure to Hepatitis B
QC-91-35 Non-sexual exposure to Hepatitis C
QC-91-36 Travel to malaria endemic area/history of malaria
QC-91-37 History of disease or surgery
QC-91-38 History of cancer
QC-91-39 History of Creutzfeldt-Jakob Disease
QC-91-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
QC-91-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
QC-91-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
QC-91-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
QC-91-44 Received growth hormone
QC-91-45 Received Proscar, Tegison or Accutane
QC-91-46 Received medication or antibiotics
QC-91-47 Received vaccine or immune globulin
QC-91-48 Exposure to a disease

QC-91-49 Incarcerated
QC-91-50 Resided in a rehabilitation center or psychiatric hospital
QC-91-51 History of Hepatitis A
QC-91-52 Exposure to Hepatitis A
QC-91-53 Multiple high risk behaviors/contacts
QC-91-54 Positive drug screen
QC-91-55 Deferred by another center
QC-91-56 Post donation illness

QC-92-** Required testing incomplete or positive for:

QC-92-01 Other
QC-92-02 HIV
QC-92-03 HBsAg
QC-92-04 Anti-HBc
QC-92-05 Anti-HCV
QC-92-06 Anti-HTLV-I
QC-92-07 ALT
QC-92-08 ABO (donor/unit or recipient)
QC-92-09 Rh (donor/unit or recipient)
QC-92-10 Antibody screen or identification (donor/unit or recipient)
QC-92-11 Antigen screen
QC-92-12 Syphilis
QC-92-13 All viral markers
QC-92-14 Compatibility
QC-92-15 HIV/HCV Nucleic Acid Test (NAT)

QC-93-** Required testing not performed or documented for:

QC-93-01 Other
QC-93-02 HIV
QC-93-03 HBsAg
QC-93-04 Anti-HBc
QC-93-05 Anti-HCV
QC-93-06 Anti-HTLV-I
QC-93-07 ALT
QC-93-08 ABO (donor/unit or recipient)
QC-93-09 Rh (donor/unit or recipient)
QC-93-10 Antibody screen or identification (donor/unit or recipient)
QC-93-11 Antigen screen
QC-93-12 Syphilis
QC-93-13 All viral markers
QC-93-14 Compatibility
QC-93-15 HIV/HCV Nucleic Acid Test (NAT)

QC-94-** Inappropriate release of:

QC-94-01 Other
QC-94-02 Outdated product
QC-94-03 Autologous unit not meeting homologous criteria

QC-94-04 Product with unacceptable, undocumented, or incomplete product QC
QC-94-05 Product in which specification other than QC not met
QC-94-06 Product in which instrument QC or validation was unacceptable, incomplete, or not documented
QC-94-08 Product prior to resolution of discrepancy
QC-94-09 Product associated with product that contained clots or hemolysis
QC-94-12 Product identified as unsuitable due to a collection deviation or unexpected event
QC-94-13 Product identified as unsuitable due to a component preparation deviation or unexpected event
QC-94-14 Product identified as unsuitable due to a labeling deviation or unexpected event
QC-94-15 Product identified as unsuitable due to a donor screening deviation or unexpected event
QC-94-16 Product identified as unsuitable due to a donor deferral deviation or unexpected event

QC-96-** Shipping and storage

QC-96-01 Other
QC-96-02 Shipped at incorrect temperature
QC-96-03 Stored at incorrect temperature
QC-96-04 No documentation that product was shipped at appropriate temperature
QC-96-05 Temperature not recorded upon receipt, product redistributed
QC-96-06 Shipment exceeded time allowed for shipping, product redistributed
QC-96-07 Product not packaged for shipment in accordance with specifications

QC-97-** Distribution procedures not performed in accordance with blood bank transfusion service's specifications

QC-97-01 Other
QC-97-02 Product not irradiated as required
QC-97-03 Product issued to wrong patient
QC-97-04 Improper product selected for patient
QC-97-05 Improper ABO or Rh type selected for patient
QC-97-06 Product not leukoreduced as required
QC-97-07 Product released prior to obtaining current sample for ABO, Rh, antibody screen and/or compatibility testing
QC-97-08 Product not CMV negative as required
QC-97-10 Filter not issued with product or incorrect filter issued
QC-97-11 Product not irradiated and leukoreduced as required
QC-97-12 Product not irradiated and CMV negative as required
QC-97-13 Procedure for issuing product not performed or documented in accordance with specifications
QC-97-14 ABO and/or Rh retype of unit not performed or performed incorrectly
QC-97-15 Visual inspection not performed or documented
QC-97-16 Product inspected and accepted upon receipt from blood center, subsequently discovered to be hemolyzed

MI--** MISCELLANEOUS**

MI-00--**** Miscellaneous
MI-00-01 Other

MI-01--**** Donor implicated in transfusion associated disease

MI-01-01 Other
MI-01-02 HIV
MI-01-03 Hepatitis

MI-02--**** Lookback; subsequent unit tested confirmed positive for:

MI-02-01 Other
MI-02-02 HIV
MI-02-04 HCV

??-??-?? DO NOT KNOW

Non-Blood BPD Codes

The following list of Biological Product Deviation (BPD) Codes should be used as a tool for assigning a specific code to a reportable event when submitting the report to FDA. This list should not be used solely for the purpose of determining if an event is reportable. You should have a process consistent with the draft guidance document, "Biological Product Deviation Reporting for Manufacturers of Biological Products Other than Blood and Blood Components," to determine which events are reportable. The list includes deviations from regulations, standards, and standard operating procedures (SOPs) that may affect the safety, purity, or potency of a product. The list of codes was developed based on the error and accident reports previously submitted to FDA. These events may not apply to all establishments because they include deviations and unexpected events related to SOPs implemented at individual establishments and may not be an industry standard or a procedure at your facility. The use of BPD Codes will assist the FDA in analyzing the data submitted and streamline the trend analysis process.

IM - Incoming Material Specifications
PC - Process Controls
TE - Testing
LA - Labeling
PS - Product Specifications
QC - Quality Control and Distribution
MI - Miscellaneous

IM--** INCOMING MATERIAL SPECIFICATIONS**

IM-10- Miscellaneous**

IM-10-01 Other

IM-12- Container**

IM-12-01 Specifications not met

IM-12-02 Defective

IM-13- Closures**

IM-13-01 Specifications not met

IM-13-02 Defective

IM-14- Source or raw material does not meet specifications or otherwise found to be unsuitable**

IM-14-01 Other

IM-14-02 Contains precipitate

IM-14-03 Contaminated with microorganism

IM-14-04 Contaminated with mold

IM-14-05 Impurities exceed specification

IM-14-06 Testing deviation

IM-14-07 Stored or shipped at incorrect temperature or lack of controlled temperature

PC--** PROCESS CONTROLS**

PC-20- Miscellaneous**

PC-20-01 Other

PC-21- Manufacturing or processing performed using incorrect parameters**

PC-21-01 Other

PC-21-02 Incorrect temperature

PC-21-03 Filling not performed according to specifications

PC-21-04 Aseptic processing procedures not performed according to specifications

PC-22- Process/Procedure**

PC-22-01 Other

PC-22-02 Interruption of process

PC-22-03 Environmental monitoring excursions

PC-22-04 Equipment not qualified
PC-22-05 Sanitization not performed or performed incorrectly
PC-22-06 Failed media fill

PC-23-** Process Water - specification not met

PC-23-01 Other
PC-23-02 Water for injection
PC-23-03 Purified water

PC-24-** Bulk material does not meet specifications or otherwise found to be unsuitable

PC-24-01 Other
PC-24-02 Contains precipitate
PC-24-03 Contaminated with microorganism
PC-24-04 Contaminated with mold
PC-24-05 Impurities exceed specification
PC-24-06 Stored at incorrect temperature
PC-24-07 Stored for an excessive hold time

TE--**** TESTING

TE-30-** Miscellaneous
TE-30-01 Other

TE-31-** Safety

TE-31-01 Performed incorrectly
TE-31-02 Not performed or not documented

TE-32-** Purity

TE-32-01 Performed incorrectly
TE-32-02 Not performed or not documented

TE-33-** Potency

TE-33-01 Performed incorrectly
TE-33-02 Not performed or not documented

TE-34-** Sterility

TE-34-01 Performed incorrectly
TE-34-02 Not performed or not documented

TE-35-** Identity

TE-35-01 Performed incorrectly
TE-35-02 Not performed or not documented

TE-36-** Stability

TE-36-01 Performed incorrectly
TE-36-02 Not performed or not documented

LA--**** LABELING

LA-40-** Miscellaneous
LA-40-01 Other

LA-41-** Package insert

LA-41-01 Incorrect
LA-41-02 Missing
LA-41-03 Not current or approved

LA-42-** Product label

LA-42-01 Incorrect
LA-42-02 Missing

LA-43-** Carton label

LA-43-01 Incorrect
LA-43-02 Missing

LA-44-** Expiration date

LA-44-01 Extended
LA-44-02 Missing

LA-45-** Lot number

LA-45-01 Incorrect
LA-45-02 Missing

LA-46-** Storage temperature

LA-46-01 Incorrect
LA-46-02 Missing

LA-47-** Administration route

LA-47-01 Incorrect

LA-47-02 Missing

LA-48-** Concentration or volume

LA-48-01 Incorrect

LA-48-02 Missing

PS--** PRODUCT SPECIFICATIONS**

PS-50-** Miscellaneous

PS-50-01 Other

PS-51-** Product specification not met

PS-51-01 Other

PS-51-02 Contains precipitate

PS-51-03 Contaminated with microorganism

PS-51-04 Contaminated with mold

PS-51-05 Impurity levels

PS-51-06 Moisture

PS-51-07 Preservative content

PS-51-08 Potency

PS-51-09 Appearance

PS-51-10 Fill volume

PS-52-** Component packaged with final product did not meet specifications

PS-52-01 Other

PS-52-02 Contains precipitate

PS-52-03 Contaminated with microorganism

PS-52-04 Contaminated with mold

PS-52-05 Fill volume

PS-53-** Stability testing failed

PS-53-01 Other

PS-53-02 Potency

PS-53-03 Preservative

PS-53-04 Container closure integrity

PS-53-05 Chemical analysis/purity

PS-54-** Administration set (packaged with product) incorrect or incomplete

PS-54-01 Other

PS-54-02 Incorrect or missing label

PS-54-03 Defective

PS-54-04 Expired

QC--** QUALITY CONTROL AND DISTRIBUTION**

QC-60--**** Miscellaneous

QC-60-01 Other

QC-61--**** Product distributed inappropriately

QC-61-01 Other

QC-61-02 Product distributed prior to completion of required testing

QC-61-03 Product distributed prior to CBER approval of a PAS

QC-61-04 Product distributed less than 30 days after submission of CBE-30

QC-61-05 Product distributed prior to validation of process

QC-61-06 Outdated product distributed

QC-62--**** Shipping and storage

QC-62-01 Other

QC-62-02 Product shipped at incorrect temperature

QC-62-03 Product stored at incorrect temperature

QC-63--**** Product identified as unacceptable, and not quarantined

QC-63-01 Other

MI--** MISCELLANEOUS**

MI-70--**** Miscellaneous

MI-70-01 Other

??-??-?? DO NOT KNOW

Last Updated: 9/16/2002